AF IFW

AMENDMENT TRANSMITTAL LETTER (Large Entity) Applicant(s): Stanek et al.					Docket No. 112690-045	
Application No. 09/864,972	Filing Date May 25, 2001	Examiner Anatoly Vortman	Customer N	VO. (	Group Art Unit 2835	Confirmation No. 3436
Invention: DIAGNOSTIC BLOWN FUSE INDICATOR						
I PE						
COMMISSIONER FOR PATENTS:						
Transmitted herewith is an amendment in the above-identified application.  The fee has been calculated and is transmitted as shown below.						
CLAIMS AS AMENDED						
	CLAIMS REMAINING	HIGHEST #	NUMBER EXTRA		RATE	ADDITIONAL
TOTAL CLAIMS	AFTER AMENDMENT  32	PREV. PAID FOR  32 =	CLAIMS PRESENT	x	\$18.00	FEE \$0.00
INDEP. CLAIMS	4 -	4 =		X	\$86.00	\$0.00
Multiple Dependent Claims (check if applicable)						\$0.00
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT \$0.00						
TOTAL ADDITIONAL FEET OF THIS AMENDMENT						
<ul> <li>No additional fee is required for amendment.</li> <li>□ Please charge Deposit Account No. in the amount of</li> <li>□ A check in the amount of to cover the filing fee is enclosed.</li> <li>☑ The Director is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 02-1818</li> <li>☑ Any additional filing fees required under 37 C.F.R. 1.16.</li> <li>☑ Any patent application processing fees under 37 CFR 1.17.</li> </ul>						
The Signature Dated: June 14, 2004						

Robert W. Connors, Reg. No. 46,639 BELL, BOYD & LLOYD LLC

P.O. Box 1135

Chicago, IL 60690-1135

(312) 807-4214

I certify that this document and fee is being deposited on June 14, 2004 with the U.S. Postal Service as first class mail under 37 C.F.R. 1.8 and is addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA

22313-1450.

Signature of Person Mailing Correspondence

**Renee Street** 

Typed or Printed Name of Person Mailing Correspondence

## JUN 1 7 2004 3

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

Stanek, et al.

Appl. No.:

09/864,972

Conf. No.:

3436

Filed:

May 25, 2001

Title:

DIAGNOSTIC BLOWN FUSE INDICATOR

Art Unit:

2835

Examiner:

Vortman, Anatoly

Docket No.:

112690-045

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

## AMENDMENT AFTER FINAL

Sir:

In response to the final Office Action dated April 14, 2004, please amend the above-identified patent application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks begin on page 8 of this paper.